

**NAME**

`rcalendar` – reminder service for the classic Ravtaalian calendar  
`rrcalendar` – reminder service for the revised Ravtaalian calendar

**SYNOPSIS**

`rcalendar`  
`rrcalendar`

**DESCRIPTION**

Much like `calendar(1)`, `rcalendar` and `rrcalendar` scans a plain text database of appointments in `$HOME/plan9/lib/rcalendar` or `$HOME/plan9/lib/rrcalendar`, and prints out lines matching today or tomorrow. On a Friday (ei. Freydäi) it prints out all appointments throughout the weekend, and the following Monday (ei. Mondäi).

The script tries to be robust in its handling the dates given in the appointment database (eg. the month of Törthmüan can be written as that, or as Tör., tor., TOR... ect). but certain strict formatting rules must still be applied: Each appointment must be one line of text, it must begin with the month name followed by a date, then a tab space followed by the actual appointment. For example, `Haj 2\todo something`, or `hajlmuan 2\todo something`, are both correct (the tab space is written `\t` to make it visible). `2/Haj do something`, is not! If the script detects that the appointment database is malformed, it will tell you and abort.

**EXAMPLE**

```

rdate
cd
Tör 6 2019
echo tör 6      dentist appointment >> plan9/lib/rcalendar
echo tör 7      psychiatric appointment >> plan9/lib/rcalendar
echo tör 8      recuperate... >> plan9/lib/rcalendar
rcalendar
tör 6  dentist appointment
tör 7  psychiatric appointment

```

**FILES**

`$HOME/plan9/lib/rcalendar` personal classic Ravtaalian appointments  
`$HOME/plan9/lib/rrcalendar` personal revised Ravtaalian appointments

**BUGS**

These programs only do a lazy check to see if the database is malformed

**SEE ALSO**

`calendar(1)`, `rdate(6)`, `rrdate(6)`, `rcal(6)`, `rcron(6)`