

NAME

`rcalendar` – reminder service for the classic Ravtaalian calendar
`rcalendar` – reminder service for the revised Ravtaalian calendar

SYNOPSIS

`rcalendar`
`rrcalendar`

DESCRIPTION

Much like `calendar(1)`, `rcalendar` and `rrcalendar` scans a plain text database of appointments in `~/r/calendar` or `~/rrcalendar`, and prints out lines matching today or tomorrow. On a Friday (ei. Freydai) it prints out all appointments throughout the weekend, and the following Monday (ei. Mondai).

The script requires very strict formatting of the appointment database: Each appointment must be one line consisting of, "Mon date\tappointment". Where *Mon* is a capitalized three letter abbreviation of a Ravtaalian month (eg. Haj for Hajlmuan), and \t is a tab space.

EXAMPLE

```
rdate
Tor 6 1979
echo Tor 6      dentist appointment >> $HOME/rcalendar
echo Tor 7      psychiatric appointment >> $HOME/rcalendar
echo Tor 8      recuperate... >> $HOME/rcalendar
rcalendar
Tor 6  dentist appointment
Tor 7  psychiatric appointment
```

FILES

\$HOME/rcalendar personal classic Ravtaalian appointments
\$HOME/rrcalendar personal revised Ravtaalian appointments

BUGS

The script will fail silently if the database is malformed. (it's easily malformed)

SEE ALSO

`calendar(1)`, `rdate(6)`, `rrdate(6)`, `rcal(6)`, `rat(6)`, `rcron(6)`